Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	0	1	1
Diagnosis		% within Sex	.0%	10.0%	2.8%
	20-24	Count	4	1	5
		% within Sex	15.4%	10.0%	13.9%
	25-29	Count	6	0	6
		% within Sex	23.1%	.0%	16.7%
	30-34	Count	3	1	4
		% within Sex	11.5%	10.0%	11.1%
	35-39	Count	7	0	7
		% within Sex	26.9%	.0%	19.4%
	40-44	Count	1	3	4
		% within Sex	3.8%	30.0%	11.1%
	45-49	Count	3	2	5
		% within Sex	11.5%	20.0%	13.9%
	50-54	Count	2	2	4
		% within Sex	7.7%	20.0%	11.1%
Total		Count	26	10	36
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	20	4	24
		% within Sex	76.9%	40.0%	66.7%
	African American	Count	4	3	7
		% within Sex	15.4%	30.0%	19.4%
	Hispanic	Count	2	1	3
		% within Sex	7.7%	10.0%	8.3%
	Asian-Pacific Islander	Count	0	2	2
		% within Sex	.0%	20.0%	5.6%
Total		Count	26	10	36
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	13	0	13
Exposure		% within Sex	50.0%	.0%	36.1%
	IDU	Count	7	3	10
		% within Sex	26.9%	30.0%	27.8%
	M-M & IDU	Count	1	0	1
		% within Sex	3.8%	.0%	2.8%
	Heterosexual Contact	Count	2	3	5
		% within Sex	7.7%	30.0%	13.9%
	Not Classified	Count	3	3	6
		% within Sex	11.5%	30.0%	16.7%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	10.0%	2.8%
Total		Count	26	10	36
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	23	24
		% within Adult-Ped	100.0%	65.7%	66.7%
	African American	Count	0	7	7
		% within Adult-Ped	.0%	20.0%	19.4%
	Hispanic	Count	0	3	3
		% within Adult-Ped	.0%	8.6%	8.3%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	5.7%	5.6%
Total	_	Count	1	35	36
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	1	1
Diagnosis		% within Sex	.0%	12.5%	2.6%
	20-24	Count	4	3	7
		% within Sex	12.9%	37.5%	17.9%
	25-29	Count	6	1	7
		% within Sex	19.4%	12.5%	17.9%
	30-34	Count	7	1	8
		% within Sex	22.6%	12.5%	20.5%
	35-39	Count	2	1	3
		% within Sex	6.5%	12.5%	7.7%
	40-44	Count	5	0	5
		% within Sex	16.1%	.0%	12.8%
	45-49	Count	3	1	4
		% within Sex	9.7%	12.5%	10.3%
	50-54	Count	3	0	3
		% within Sex	9.7%	.0%	7.7%
	55-59	Count	1	0	1
		% within Sex	3.2%	.0%	2.6%
Total		Count	31	8	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	19	4	23
		% within Sex	61.3%	50.0%	59.0%
	African American	Count	4	3	7
		% within Sex	12.9%	37.5%	17.9%
	Hispanic	Count	8	1	9
		% within Sex	25.8%	12.5%	23.1%
Total	-	Count	31	8	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	14	0	14
Exposure		% within Sex	45.2%	.0%	35.9%
	IDU	Count	2	3	5
		% within Sex	6.5%	37.5%	12.8%
	M-M & IDU	Count	3	0	3
		% within Sex	9.7%	.0%	7.7%
	Heterosexual Contact	Count	2	4	6
		% within Sex	6.5%	50.0%	15.4%
	Transfusion	Count	2	0	2
		% within Sex	6.5%	.0%	5.1%
	Not Classified	Count	8	1	9
		% within Sex	25.8%	12.5%	23.1%
Total		Count	31	8	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	23	23
		% within Adult-Ped	59.0%	59.0%
	African American	Count	7	7
		% within Adult-Ped	17.9%	17.9%
	Hispanic	Count	9	9
		% within Adult-Ped	23.1%	23.1%
Total		Count	39	39
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1	1	2
Diagnosis		% within Sex	.8%	2.5%	1.2%
	13-19	Count	0	4	4
		% within Sex	.0%	10.0%	2.4%
	20-24	Count	16	8	24
		% within Sex	12.8%	20.0%	14.5%
	25-29	Count	20	8	28
		% within Sex	16.0%	20.0%	17.0%
	30-34	Count	30	5	35
		% within Sex	24.0%	12.5%	21.2%
	35-39	Count	20	2	22
		% within Sex	16.0%	5.0%	13.3%
	40-44	Count	17	6	23
		% within Sex	13.6%	15.0%	13.9%
	45-49	Count	13	3	16
		% within Sex	10.4%	7.5%	9.7%
	50-54	Count	6	3	9
		% within Sex	4.8%	7.5%	5.5%
	55-59	Count	2	0	2
		% within Sex	1.6%	.0%	1.2%
Total		Count	125	40	165
O LICDA -		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	83	20	103
		% within Sex	66.4%	50.0%	62.4%
	African American	Count	20	13	33
		% within Sex	16.0%	32.5%	20.0%
	Hispanic	Count	22	5	27
		% within Sex	17.6%	12.5%	16.4%
	Asian-Pacific Islander	Count	0	2	2
		% within Sex	.0%	5.0%	1.2%
Total	_	Count	125	40	165
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	62	0	62
Exposure		% within Sex	49.6%	.0%	37.6%
	IDU	Count	16	14	30
		% within Sex	12.8%	35.0%	18.2%
	M-M & IDU	Count	11	0	11
		% within Sex	8.8%	.0%	6.7%
	Heterosexual Contact	Count	6	16	22
		% within Sex	4.8%	40.0%	13.3%
	Transfusion	Count	2	0	2
		% within Sex	1.6%	.0%	1.2%
	Not Classified	Count	27	9	36
		% within Sex	21.6%	22.5%	21.8%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.8%	.0%	.6%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	2.5%	.6%
Total		Count	125	40	165
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	102	103
		% within Adult-Ped	50.0%	62.6%	62.4%
	African American	Count	1	32	33
		% within Adult-Ped	50.0%	19.6%	20.0%
	Hispanic	Count	0	27	27
		% within Adult-Ped	.0%	16.6%	16.4%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	1.2%	1.2%
Total		Count	2	163	165
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1	1	2
Diagnosis		% within Sex	.8%	2.6%	1.3%
	13-19	Count	0	4	4
		% within Sex	.0%	10.5%	2.5%
	20-24	Count	16	8	24
		% within Sex	13.4%	21.1%	15.3%
	25-29	Count	19	7	26
		% within Sex	16.0%	18.4%	16.6%
	30-34	Count	30	4	34
		% within Sex	25.2%	10.5%	21.7%
	35-39	Count	19	2	21
		% within Sex	16.0%	5.3%	13.4%
	40-44	Count	15	6	21
		% within Sex	12.6%	15.8%	13.4%
	45-49	Count	12	3	15
		% within Sex	10.1%	7.9%	9.6%
	50-54	Count	5	3	8
		% within Sex	4.2%	7.9%	5.1%
	55-59	Count	2	0	2
		% within Sex	1.7%	.0%	1.3%
Total		Count	119	38	157
- 11004	A!!! -	% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	0	1	1
Age		% within Sex	.0%	2.6%	.6%
	20-24	Count	5	6	11
		% within Sex	4.2%	15.8%	7.0%
	25-29	Count	11	5	16
		% within Sex	9.2%	13.2%	10.2%
	30-34	Count	28	8	36
		% within Sex	23.5%	21.1%	22.9%
	35-39	Count	23	3	26
		% within Sex	19.3%	7.9%	16.6%
	40-44	Count	21	5	26
		% within Sex	17.6%	13.2%	16.6%
	45-49	Count	15	4	19
		% within Sex	12.6%	10.5%	12.1%
	50-54	Count	13	5	18
		% within Sex	10.9%	13.2%	11.5%
	55-59	Count	2	1	3
		% within Sex	1.7%	2.6%	1.9%
	60-64	Count	1	0	1
		% within Sex	.8%	.0%	.6%
Total	·	Count	119	38	157
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	80	20	100
		% within Sex	67.2%	52.6%	63.7%
	African American	Count	18	13	31
		% within Sex	15.1%	34.2%	19.7%
	Hispanic	Count	21	4	25
		% within Sex	17.6%	10.5%	15.9%
	Asian-Pacific Islander	Count	0	1	1
		% within Sex	.0%	2.6%	.6%
Total		Count	119	38	157
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	61	0	61
Exposure		% within Sex	51.3%	.0%	38.9%
	IDU	Count	15	14	29
		% within Sex	12.6%	36.8%	18.5%
	M-M & IDU	Count	9	0	9
		% within Sex	7.6%	.0%	5.7%
	Heterosexual Contact	Count	6	15	21
		% within Sex	5.0%	39.5%	13.4%
	Transfusion	Count	2	0	2
		% within Sex	1.7%	.0%	1.3%
	Not Classified	Count	25	8	33
		% within Sex	21.0%	21.1%	21.0%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.8%	.0%	.6%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	2.6%	.6%
Total		Count	119	38	157
- 11000	A ''	% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	99	100
		% within Adult-Ped	50.0%	63.9%	63.7%
	African American	Count	1	30	31
		% within Adult-Ped	50.0%	19.4%	19.7%
	Hispanic	Count	0	25	25
		% within Adult-Ped	.0%	16.1%	15.9%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.6%	.6%
Total		Count	2	155	157
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	25-29	Count	0	1	1
Diagnosis		% within Sex	.0%	14.3%	3.6%
	30-34	Count	3	1	4
		% within Sex	14.3%	14.3%	14.3%
	35-39	Count	5	2	7
		% within Sex	23.8%	28.6%	25.0%
	40-44	Count	7	1	8
		% within Sex	33.3%	14.3%	28.6%
	45-49	Count	1	1	2
		% within Sex	4.8%	14.3%	7.1%
	50-54	Count	1	0	1
		% within Sex	4.8%	.0%	3.6%
	55-59	Count	2	1	3
		% within Sex	9.5%	14.3%	10.7%
	60-64	Count	1	0	1
		% within Sex	4.8%	.0%	3.6%
	65-69	Count	1	0	1
		% within Sex	4.8%	.0%	3.6%
Total		Count	21	7	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	16	6	22
		% within Sex	76.2%	85.7%	78.6%
	African American	Count	0	1	1
		% within Sex	.0%	14.3%	3.6%
	Hispanic	Count	5	0	5
		% within Sex	23.8%	.0%	17.9%
Total	-	Count	21	7	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	9	0	9
Exposure		% within Sex	42.9%	.0%	32.1%
	IDU	Count	5	2	7
		% within Sex	23.8%	28.6%	25.0%
	M-M & IDU	Count	4	0	4
		% within Sex	19.0%	.0%	14.3%
	Heterosexual Contact	Count	2	4	6
		% within Sex	9.5%	57.1%	21.4%
	Not Classified	Count	1	1	2
		% within Sex	4.8%	14.3%	7.1%
Total		Count	21	7	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/	Tatal
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	22	22
		% within Adult-Ped	78.6%	78.6%
	African American	Count	1	1
		% within Adult-Ped	3.6%	3.6%
	Hispanic	Count	5	5
		% within Adult-Ped	17.9%	17.9%
Total		Count	28	28
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	0	1	1
Diagnosis		% within Sex	.0%	20.0%	2.4%
	25-29	Count	2	0	2
		% within Sex	5.4%	.0%	4.8%
	30-34	Count	8	2	10
		% within Sex	21.6%	40.0%	23.8%
	35-39	Count	5	1	6
		% within Sex	13.5%	20.0%	14.3%
	40-44	Count	7	1	8
		% within Sex	18.9%	20.0%	19.0%
	45-49	Count	7	0	7
		% within Sex	18.9%	.0%	16.7%
	50-54	Count	3	0	3
		% within Sex	8.1%	.0%	7.1%
	60-64	Count	4	0	4
		% within Sex	10.8%	.0%	9.5%
	70+	Count	1	0	1
		% within Sex	2.7%	.0%	2.4%
Total		Count	37	5	42
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	20	4	24
		% within Sex	54.1%	80.0%	57.1%
	African American	Count	8	0	8
		% within Sex	21.6%	.0%	19.0%
	Hispanic	Count	9	1	10
		% within Sex	24.3%	20.0%	23.8%
Total	-	Count	37	5	42
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	15	0	15
Exposure		% within Sex	40.5%	.0%	35.7%
	IDU	Count	8	2	10
		% within Sex	21.6%	40.0%	23.8%
	M-M & IDU	Count	5	0	5
		% within Sex	13.5%	.0%	11.9%
	Heterosexual Contact	Count	4	3	7
		% within Sex	10.8%	60.0%	16.7%
	Not Classified	Count	5	0	5
		% within Sex	13.5%	.0%	11.9%
Total		Count	37	5	42
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	24	24
		% within Adult-Ped	57.1%	57.1%
	African American	Count	8	8
		% within Adult-Ped	19.0%	19.0%
	Hispanic	Count	10	10
		% within Adult-Ped	23.8%	23.8%
Total		Count	42	42
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	1	0	1
Diagnosis		% within Sex	.2%	.0%	.2%
	5-12	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	13-19	Count	2	0	2
		% within Sex	.4%	.0%	.4%
	20-24	Count	15	7	22
		% within Sex	3.3%	14.0%	4.3%
	25-29	Count	77	9	86
		% within Sex	16.8%	18.0%	16.9%
	30-34	Count	100	6	106
		% within Sex	21.8%	12.0%	20.8%
	35-39	Count	100	10	110
		% within Sex	21.8%	20.0%	21.6%
	40-44	Count	71	11	82
		% within Sex	15.5%	22.0%	16.1%
	45-49	Count	43	3	46
		% within Sex	9.4%	6.0%	9.0%
	50-54	Count	19	1	20
		% within Sex	4.1%	2.0%	3.9%
	55-59	Count	13	2	15
		% within Sex	2.8%	4.0%	2.9%
	60-64	Count	11	0	11
		% within Sex	2.4%	.0%	2.2%
	65-69	Count	3	1	4
		% within Sex	.7%	2.0%	.8%
	70+	Count	3	0	3
		% within Sex	.7%	.0%	.6%
Total		Count	459	50	509
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	322	30	352
		% within Sex	70.2%	60.0%	69.2%
	African American	Count	57	10	67
		% within Sex	12.4%	20.0%	13.2%
	Hispanic	Count	78	10	88
		% within Sex	17.0%	20.0%	17.3%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	.4%	.0%	.4%
Total		Count	459	50	509
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	230	0	230
Exposure		% within Sex	50.1%	.0%	45.2%
	IDU	Count	64	18	82
		% within Sex	13.9%	36.0%	16.1%
	M-M & IDU	Count	91	0	91
		% within Sex	19.8%	.0%	17.9%
	Hemophiliac	Count	3	1	4
		% within Sex	.7%	2.0%	.8%
	Heterosexual Contact	Count	20	21	41
		% within Sex	4.4%	42.0%	8.1%
	Transfusion	Count	3	1	4
		% within Sex	.7%	2.0%	.8%
	Not Classified	Count	46	9	55
		% within Sex	10.0%	18.0%	10.8%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.2%	.0%	.2%
Total	·	Count	459	50	509
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	351	352
		% within Adult-Ped	50.0%	69.2%	69.2%
	African American	Count	1	66	67
		% within Adult-Ped	50.0%	13.0%	13.2%
	Hispanic	Count	0	88	88
		% within Adult-Ped	.0%	17.4%	17.3%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.4%	.4%
Total		Count	2	507	509
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	0	1
Diagnosis		% within Sex	.5%	.0%	.4%
	20-24	Count	4	4	8
		% within Sex	2.0%	18.2%	3.6%
	25-29	Count	24	3	27
		% within Sex	11.8%	13.6%	12.0%
	30-34	Count	42	3	45
		% within Sex	20.7%	13.6%	20.0%
	35-39	Count	46	5	51
		% within Sex	22.7%	22.7%	22.7%
	40-44	Count	38	4	42
		% within Sex	18.7%	18.2%	18.7%
	45-49	Count	22	2	24
		% within Sex	10.8%	9.1%	10.7%
	50-54	Count	14	0	14
		% within Sex	6.9%	.0%	6.2%
	55-59	Count	4	1	5
		% within Sex	2.0%	4.5%	2.2%
	60-64	Count	6	0	6
		% within Sex	3.0%	.0%	2.7%
	65-69	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	70+	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total	•	Count	203	22	225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	20-24	Count	2	0	2
Age		% within Sex	1.0%	.0%	.9%
	25-29	Count	1	2	3
		% within Sex	.5%	9.1%	1.3%
	30-34	Count	22	8	30
		% within Sex	10.8%	36.4%	13.3%
	35-39	Count	42	2	44
		% within Sex	20.7%	9.1%	19.6%
	40-44	Count	40	4	44
		% within Sex	19.7%	18.2%	19.6%
	45-49	Count	45	3	48
		% within Sex	22.2%	13.6%	21.3%
	50-54	Count	27	2	29
		% within Sex	13.3%	9.1%	12.9%
	55-59	Count	13	1	14
		% within Sex	6.4%	4.5%	6.2%
	60-64	Count	6	0	6
		% within Sex	3.0%	.0%	2.7%
	65-69	Count	3	0	3
		% within Sex	1.5%	.0%	1.3%
	70+	Count	2	0	2
		% within Sex	1.0%	.0%	.9%
Total		Count	203	22	225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	134	16	150
		% within Sex	66.0%	72.7%	66.7%
	African American	Count	28	2	30
		% within Sex	13.8%	9.1%	13.3%
	Hispanic	Count	40	4	44
		% within Sex	19.7%	18.2%	19.6%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	203	22	225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	94	0	94
Exposure		% within Sex	46.3%	.0%	41.8%
	IDU	Count	32	8	40
		% within Sex	15.8%	36.4%	17.8%
	M-M & IDU	Count	37	0	37
		% within Sex	18.2%	.0%	16.4%
	Heterosexual Contact	Count	14	11	25
		% within Sex	6.9%	50.0%	11.1%
	Transfusion	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Not Classified	Count	25	3	28
		% within Sex	12.3%	13.6%	12.4%
Total		Count	203	22	225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	150	150
		% within Adult-Ped	66.7%	66.7%
	African American	Count	30	30
		% within Adult-Ped	13.3%	13.3%
	Hispanic	Count	44	44
		% within Adult-Ped	19.6%	19.6%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	.4%	.4%
Total		Count	225	225
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Age at	5-12	Count	1	1	2
Diagnosis		% within Sex	.3%	1.7%	.5%
	13-19	Count	1	4	5
		% within Sex	.3%	6.7%	1.3%
	20-24	Count	20	12	32
		% within Sex	6.2%	20.0%	8.4%
	25-29	Count	43	10	53
		% within Sex	13.4%	16.7%	13.9%
	30-34	Count	72	7	79
		% within Sex	22.4%	11.7%	20.7%
	35-39	Count	65	7	72
		% within Sex	20.2%	11.7%	18.8%
	40-44	Count	53	10	63
		% within Sex	16.5%	16.7%	16.5%
	45-49	Count	34	5	39
		% within Sex	10.6%	8.3%	10.2%
	50-54	Count	19	3	22
		% within Sex	5.9%	5.0%	5.8%
	55-59	Count	6	1	7
		% within Sex	1.9%	1.7%	1.8%
	60-64	Count	6	0	6
		% within Sex	1.9%	.0%	1.6%
	65-69	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	70+	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total		Count	322	60	382
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	0	1	1
Age		% within Sex	.0%	1.7%	.3%
	20-24	Count	7	6	13
		% within Sex	2.2%	10.0%	3.4%
	25-29	Count	12	7	19
		% within Sex	3.7%	11.7%	5.0%
	30-34	Count	50	16	66
		% within Sex	15.5%	26.7%	17.3%
	35-39	Count	65	5	70
		% within Sex	20.2%	8.3%	18.3%
	40-44	Count	61	9	70
		% within Sex	18.9%	15.0%	18.3%
	45-49	Count	60	7	67
		% within Sex	18.6%	11.7%	17.5%
	50-54	Count	40	7	47
		% within Sex	12.4%	11.7%	12.3%
	55-59	Count	15	2	17
		% within Sex	4.7%	3.3%	4.5%
	60-64	Count	7	0	7
		% within Sex	2.2%	.0%	1.8%
	65-69	Count	3	0	3
		% within Sex	.9%	.0%	.8%
	70+	Count	2	0	2
		% within Sex	.6%	.0%	.5%
Total		Count	322	60	382
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	214	36	250
		% within Sex	66.5%	60.0%	65.4%
	African American	Count	46	15	61
		% within Sex	14.3%	25.0%	16.0%
	Hispanic	Count	61	8	69
		% within Sex	18.9%	13.3%	18.1%
	Asian-Pacific Islander	Count	1	1	2
		% within Sex	.3%	1.7%	.5%
Total		Count	322	60	382
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	155	0	155
Exposure		% within Sex	48.1%	.0%	40.6%
	IDU	Count	47	22	69
- - -		% within Sex	14.6%	36.7%	18.1%
	M-M & IDU	Count	46	0	46
		% within Sex	14.3%	.0%	12.0%
	Heterosexual Contact	Count	20	26	46
		% within Sex	6.2%	43.3%	12.0%
	Transfusion	Count	3	0	3
		% within Sex	.9%	.0%	.8%
	Not Classified	Count	50	11	61
		% within Sex	15.5%	18.3%	16.0%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	1.7%	.3%
Total		Count	322	60	382
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	249	250
		% within Adult-Ped	50.0%	65.5%	65.4%
	African American	Count	1	60	61
		% within Adult-Ped	50.0%	15.8%	16.0%
	Hispanic	Count	0	69	69
		% within Adult-Ped	.0%	18.2%	18.1%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.5%	.5%
Total		Count	2	380	382
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo